Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1   Claim 1 (currently amended): Method of transferring a
2   message stored in a computer arrangement (12) to a mobile
3   device (17(i)), comprising:
4   •   transmitting an alert message from said computer
5   arrangement (12) to said mobile device (17(i))
6   via a first network (19);
7   •   transmitting said message stored in said computer
8   arrangement (12) to said mobile device (17(i))
9   upon request from said mobile device (17(i)) via
10   a second network (15);
11   wherein both said first and second networks being parallel
12   mobile networks (15, 19).

1   Claim 2 (previously amended): Method according to claim 1
2   comprising the step establishing an on-line connection
3   between said computer arrangement (12) and said mobile
4   device (17(i)).

1   Claim 3 (previously amended): Method according to claim 1,
2   wherein said first network (19) is arranged to utilize a
3   first protocol and wherein said second network (15) is
4   arranged to utilize a second protocol.

1   Claim 4 (original): Method according to claim 3,

2   comprising sending said message from said computer

3   arrangement (12) to a protocol translator (14) using a

4   third protocol, translating said message in said third

5   protocol to a message in said second protocol before

6   transmission to said mobile device (17(i)).

1   Claim 5 (previously amended): Method according to claim 1,

2   wherein said computer arrangement is an e-mail server (12).

1   Claim 6 (original): Method according to claim 5, wherein

2   said message is an e-mail message.

1   Claim 7 (previously amended): Method according to claim 1,

2   wherein said second protocol is HTTP.

1   Claim 8 (previously amended): Method according to claim 1,

2   wherein said second wireless network (15) is either GPRS or

3   UMTS.

1   Claim 9 (previously amended): Method according to claim 1,

2   wherein said first wireless network is GSM.

1   Claim 10 (previously amended): Method according to

2   claim 1, comprising establishing an on-line connection

3   between said computer arrangement (12) and said mobile

4   device (17(i)) either automatically by said mobile

5   device (17(i)) or by said mobile device (17(i)) after being

6   instructed to do so by a user of the mobile device (17(i)).

1   Claim 11 (currently amended): Communication system
2   comprising a computer arrangement storing a message in a
3   memory and arranged to transmit said message to a switched-
4   on mobile device (17(i)), said computer arrangement being
5   arranged to:

6   •   transmitting an alert message from said computer
7   arrangement (12) to said mobile device (17(i))
8   via a first network (19);

9   •   transmitting said message from said computer
10   arrangement (12) to said mobile device (17(i))
11   upon request from said mobile device (17(i)) via
12   a second network (15);
13 wherein said first and second networks are <u>parallel</u> mobile
14 networks (15, 19).

1   Claim 12 (previously amended): Communication system
2   according to claim 11 arranged to establish an on-line
3   connection between said computer arrangement (12) and said
4   mobile device (17(i)).

1   Claim 13 (previously amended): Communication system
2   according to claim 11, wherein said first network (19) is
3   arranged to utilize a first protocol and wherein said
4   second network (15) is arranged to utilize a second
5   protocol.

1   Claim 14 (original): Communication system according to
2   claim 13, comprising a protocol translator (14), wherein
3   said computer arrangement (12) is arranged to send said
4   message to said protocol translator (14) using a third

5   protocol and said protocol translator is arranged to

6   translate said message in said third protocol to a message

7   in said second protocol before transmission to said mobile

8   device (17(i)).

1   Claim 15 (original): Communication system according to

2   claim 14, wherein said protocol translator (14) is included

3   in the computer arrangement (12).

1   Claim 16 (previously amended): Communication system

2   according to claim 12, wherein said computer arrangement is

3   an e-mail server (12).

1   Claim 17 (original): Communication system according to

2   claim 16, wherein said message is an e-mail stored at the

3   e-mail server (12).

1   Claim 18 (previously amended): Communication system

2   according to claim 12, wherein the system comprises a

3   gateway (18) between the computer arrangement (12) and the

4   first and second mobile networks (15, 19).

1   Claim 19 (original): Communication system according to

2   claim 18, wherein, in operation, the computer

3   arrangement (12), upon receiving said message, establishes

4   a PAP message and transmits this PAP message via a PAP

5   protocol to said gateway (18), and the gateway (18), upon

6   receiving said PAP message, generates an SMS message for

7   said mobile device (17(i)) including said alert message.

1   Claim 20 (previously amended): Communication system
2   according to claim 12, wherein the system comprises at
3   least one mobile device (17(i)).

1   Claim 21 (original): Communication system according to
2   claim 20, wherein said mobile device (17(i)) is arranged to
3   generate an HTTP get message upon receiving said alert
4   message, either automatically or after having received an
5   instruction to that effect from a user of the mobile
6   device (17(i)).

1   Claim 22 (original): Communication system according to
2   claim 21, wherein said protocol translator (14) is arranged
3   to translate said message to a HTTP reply message.

1   Claim 23 (currently amended): Mobile device arranged to
2   receive an alert message through a first mobile
3   network (15), to automatically generate a HTTP get message,
4   to transmit the HTTP get message to a computer
5   arrangement (12) storing a message for the mobile
6   device (17(i)) and to receive the message from said
7   computer arrangement (12) as a HTTP reply message through a
8   second mobile network (19).